

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	425	(synchroniz\$4 with processors).ab. and @ad<="20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 12:43
S2	38	((synchroniz\$4 with processors).ab. and @ad<="20000124") and interrupt\$4 and register and bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/07 15:40
S3	0	((synchroniz\$4 with processors).ab. and @ad<="20000124") and interrupt\$4 and register and bus ) and (synchroniz\$4 with processors)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/07 15:40
S4	38	((synchroniz\$4 with processors).ab. and @ad<="20000124") and interrupt\$4 and register and bus ) and (synchroniz\$4 with processors)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/07 15:41
S5	3	((synchroniz\$4 with processors).ab. and @ad<="20000124") and interrupt\$4 and register and bus ) and (synchroniz\$4 with processors)) and dsp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/07 15:41
S6	0	(synchroniz\$4 with processors).ab. and @ad<="20000124" and (off\$1core with register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/08 08:37
S7	2	@ad<="20000124" and (off\$1core with register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 12:45
S8	0	(synchroniz\$4 with processors).ab. and @ad<="20000124" and (off\$1core with register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/08 08:37
S9	8108	edge adj detector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 17:52

S10	436	(edge adj detector) with register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 16:13
S11	29	((edge adj detector) with register) same interrupt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 17:09
S12	28	@ad<="20000124" and ((edge adj detector) with register) same interrupt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 17:53
S13	0	(@ad<="20000124" and (((edge adj detector) with register) same interrupt\$3)) and (dsp (digital adj signal adj processor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 16:05
S14	15	(@ad<="20000124" and (((edge adj detector) with register) same interrupt\$3)) and flip\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 17:03
S15	3	(@ad<="20000124" and (((edge adj detector) with register) same interrupt\$3)) and (dsp (signal adj processor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 16:08
S16	7	(@ad<="20000124" and (((edge adj detector) with register) same interrupt\$3)) and (dsp (signal adj process\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 17:01
S17	4	(@ad<="20000124" and (((edge adj detector) with register) same interrupt\$3)) and processors	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 16:12
S18	5740	(first adj processor) same (second adj processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 16:13
S19	2	((edge adj detector) with register) and ((first adj processor) same (second adj processor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 16:13

S20	2	((edge adj detector) with register) and ((first adj processor) same (second adj processor))) and register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 16:13
S21	2	(((edge adj detector) with register) and ((first adj processor) same (second adj processor))) and register) and interrupt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 16:14
S22	1	@ad<="20000124" and (((edge adj detector) with register) and ((first adj processor) same (second adj processor))) and register) and interrupt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 17:09
S23	1881	(edge adj detector) and (dsp (signal adj process\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 17:09
S24	7	((edge adj detector) and (dsp (signal adj process\$4))) and (@ad<="20000124" and ((edge adj detector) with register) same interrupt\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 17:02
S25	1349	@ad<="20000124" and ((edge adj detector) and (dsp (signal adj process\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 17:02
S26	159	(@ad<="20000124" and ((edge adj detector) and (dsp (signal adj process\$4)))) and register and interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 17:02
S27	89	((@ad<="20000124" and ((edge adj detector) and (dsp (signal adj process\$4)))) and register and interrupt) and flip\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 17:07
S28	68	(((@ad<="20000124" and ((edge adj detector) and (dsp (signal adj process\$4)))) and register and interrupt) and flip\$6) and bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 17:06
S29	16	(((@ad<="20000124" and ((edge adj detector) and (dsp (signal adj process\$4)))) and register and interrupt) and flip\$6) and bus) and (interrupt with terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 17:04

S30	79	((edge adj detector) same register) same interrupt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 17:09
S31	62	@ad<="20000124" and (((edge adj detector) same register) same interrupt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 17:09
S32	22	(@ad<="20000124" and (((edge adj detector) same register) same interrupt\$3)) and (dsp (signal adj process\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 17:59
S33	1	(@ad<="20000124" and (((edge adj detector) same register) same interrupt\$3)) and dsp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 17:54
S34	0	((@ad<="20000124" and (((edge adj detector) same register) same interrupt\$3)) and dsp) and flip\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 17:49
S35	8	(edge adj detector) with between with processors	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 17:53
S36	5	@ad<="20000124" and ((edge adj detector) with between with processors)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 19:07
S37	0	(@ad<="20000124" and ((edge adj detector) with between with processors)) and dsp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 17:54
S38	0	(@ad<="20000124" and (((edge adj detector) same register) same interrupt\$3)) and (digital adj signal adj process\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 17:54
S39	5	((@ad<="20000124" and (((edge adj detector) same register) same interrupt\$3)) and (dsp (signal adj process\$4))) and processors	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 18:38

S40	0	interrupt with (first adj procesor) with (second adj processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 19:05
S41	170	interrupt with (first adj processor) with (second adj processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 19:06
S42	0	(edge adj detector) and (interrupt with (first adj processor) with (second adj processor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 19:06
S43	1144	(communicat\$3 transmi\$5) with (first adj processor) with (second adj processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 19:06
S44	8	(edge adj detector) and ((communicat\$3 transmi\$5) with (first adj processor) with (second adj processor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 19:06
S45	4	@ad<="20000124" and ((edge adj detector) and ((communicat\$3 transmi\$5) with (first adj processor) with (second adj processor)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 19:09
S46	4	(@ad<="20000124" and ((edge adj detector) and ((communicat\$3 transmi\$5) with (first adj processor) with (second adj processor)))) and register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 19:10
S47	3	((@ad<="20000124" and ((edge adj detector) and ((communicat\$3 transmi\$5) with (first adj processor) with (second adj processor)))) and register) and interrupt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 19:10
S48	7633	dsp with (exchang\$3 transfer\$3 transm\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/14 12:44
S49	2944	(dsp and (exchang\$3 transfer\$3 transmi\$6 communicat\$4)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/14 12:45

S50	1878	@ad<="20000124" and ((dsp and (exchang\$3 transfer\$3 transmi\$6 communicat\$4)).ab.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 12:46
S51	28	(@ad<="20000124" and ((dsp and (exchang\$3 transfer\$3 transmi\$6 communicat\$4)).ab.)) and (first adj dsp) and (second adj dsp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 12:47
S52	13	((@ad<="20000124" and ((dsp and (exchang\$3 transfer\$3 transmi\$6 communicat\$4)).ab.)) and (first adj dsp) and (second adj dsp)) and interrupt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/14 12:47
S53	13	((@ad<="20000124" and ((dsp and (exchang\$3 transfer\$3 transmi\$6 communicat\$4)).ab.)) and (first adj dsp) and (second adj dsp)) and interrupt\$3) and signal\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/14 12:47
S10 4	9	(US-3896418-\$ or US-4862452-\$ or US-5581748-\$ or US-5631592-\$ or US-6065131-\$ or US-6178180-\$ or US-6507609-\$ or US-6535505-\$ or US-6691190-\$).did.	USPAT	OR	OFF	2005/11/17 11:05
S10 5	158221	signal near3 (bit boolean)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 11:06
S10 6	124508	bit near3 (high hi low lo on off up down)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 12:03
S10 7	30429	(transmit\$3 transmission send\$3 sent) with signal with port	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 11:07
S10 8	65413	(external with (convert\$3 conversion transform\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 11:06

S10 9	28656	(transmit\$3 transmission send\$3 sent) with interrupt\$3 with signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 11:07
S11 0	7	S104 and (S105 S106 S107 S108 S109)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 11:56
S11 1	6	S110 and edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 11:56
S11 2	3	S110 and (edge adj detector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 11:58
S11 3	2	S112 and ((comparison compar\$3 evaluat\$3 determin\$4) with (address two signal register))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 11:59
S11 4	1	(US-4862452-\$).did.	USPAT	OR	OFF	2005/11/17 12:02
S11 5	1	S114 and (high hi low lo on off up down)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 12:33
S11 6	1	S114 and (signal with (high hi low lo on off up down))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 12:33